

# INDEX MAPS.

## T.9N R.7W 2<sup>nd</sup> Mer.

	139	138-139	138-139	138-140	138-140	137-140						
142	6	160	5	155	4	152	3	148	2	145	1	137
	160		160		155		151		148		145	
142	7	159	8	155	9	151	10	148	11	144	12	137
	159		159		154		150		148		144	
141	18	158	17	154	16	150	15	147	14	144	13	136
	158		158		154		150		147		143	
141	19	158	20	153	21	150	22	147	23	143	24	136
	157		157		153		150		147		143	
141	30	156	29	153	28	149	27	146	26	143	25	136
	156		156		152		149		146		142	
140	31	155	32	152	33	149	34	146	35	142	36	135
	134		133-134		133-134		133-135		133-135		133-135	

## T.10N R.7W 2<sup>nd</sup> Mer.

	169	168-169	168-169	168-169	168-170	168-170						
171	6	188	5	185	4	182	3	178	2	175	1	167
	188		188		185		181		178		175	
171	7	188	8	185	9	181	10	178	11	174	12	167
	188		188		184		181		177		174	
171	18	187	17	184	16	181	15	177	14	174	13	167
	187		187		184		180		177		173	
171	19	187	20	183	21	180	22	177	23	173	24	166
	187		187		183		179		176		173	
171	30	186	29	183	28	179	27	176	26	172	25	166
	186		186		182		179		176		172	
170	31	185	32	182	33	179	34	175	35	172	36	165
	164		164		163-164		163-165		163-165		163-165	

The figures on the lines refer to the page.



T. 10 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.

West Oak Random line On the South Boundary of sec. 30  
T. 10 N. R. 7 W.

40.00 Set a timber 1/4 sec post.

80.00 " " " post for the cor of sec. 31 & 32  
Under herb; Timber Oak & Hickory.

West Oak Random line On the South Boundary of sec. 31.  
T. 10 N. R. 7 W.

40.00 Set a timber 1/4 sec post.

78.75 Fell 250 timber South of Harris' farm cor.

Corrected and marked the line East.

East Oak line On the South Boundary of sec. 31.  
T. 10 N. R. 7 W.

38.75 Set the timber 1/4 sec post on the true line from which  
Hickory 10 in. diam. bears N 3 E 18 links dist; Va  
" Oak 16 " " " N 73 W 46 " "

80.00 Set the timber 1/4 post on the true line for the cor of sec. 31 & 32  
from which, " Oak 18 in. diam. bears N 70 W 70 links dist;  
under, " 24 " " " S 43 E 52 " "

East Oak line On the South Boundary of sec. 30.  
T. 10 N. R. 7 W.

40.00 Set the timber 1/4 sec post at the true line from which  
Hickory 16 in. diam. bears N 78 W 70 links dist; Va

" 16 " " " S 67 E 36 " "

80.00 Set the timber 1/4 post on the true line from which a (32 & 33)  
Hickory 16 in. diam. bears S 22 W 56 links dist; Va  
" 16 " " " S 80 E 75 " "

East Oak line On the South Boundary of sec. 33  
T. 10 N. R. 7 W.

40.00 Set the timber 1/4 sec post on the true line at the point

T. No 10. N.R. No 7 W. 2<sup>nd</sup> Mer. Ind.

80.00	Set the trumpet post on the true line for the cor. of lot 33 & 34 from which age. Elev 9 in dia: beam. N 37 W. 12 links dist and an Elev 12 " " " S 5 E. 24 " "
East	On the true line On the South Boundary of lot 34. T. 10 N.R. 7 W.
40.00	Set the trumpet 1/4 post on the true line from which an Elev. 12 in dia: beam. N 66 W. 18 links dist: & an W. 16 " " " S 80 E. 29 " "
80.00	Set the trumpet post on the true line for the cor. of lot 34 & 35 from which. Height 18 in. dia: beam. S 58 E. 15 links dist and an Elev. 18 " " " N 1 E. 22 " "
East	On the true line On the South Boundary of lot 35. T. 10 N.R. 7 W.
40.00	Set the trumpet 1/4 post on the true line from which an Elev. 24 in dia: beam. N 44 W. 3 links dist: and an Elev. 7 " " " S 58 W. 15 " "
80.00	Set the trumpet post on the true line for the cor. of lot 35 & 36 from which an Elev. 16 in. dia: beam. N 4 E. 27 links dist and an Elev. 24 " " " S 35 W. 30 " "
East	On the true line On the South Boundary of lot 36. T. 10 N.R. 7 W.
40.00	Set the trumpet 1/4 post on the true line from which an Height 14 in. dia: beam. N 50 W. 27 links dist: & an Elev 12 " " " S 63 E. 31 " "
80.00	Set the post cor. of lot 9. & 10 N.R. 6. & 7 W. from which an Height 8 in. dia: beam. N 73 E. 6 links dist: & an Elev. 12 " " " S 41 W. 34 " "

East Boundary

North On the East Boundary of lot 36. T. 10 N.R. 7 W.



T. N. 10 N. R. N. 7 W. 2<sup>nd</sup> Mer. Ind. 2

10.00	Trapping Corn N.
20.00	" " " " "
26.00	" " " " "
40.00	Set a <sup>m</sup> post from which a Sugar. 5 in. diam. beam N 65 E 4 links dist: 4 " Buck. 5 " " " S 88 W 8 " "
55.00	Tr. Brook. 3 links wide, Corn N.
73.00	" " Poplar. 36 in. diam. in the line.
77.00	Tr. Brook. 4 links wide, Corn N.
80.00	A Sugar. 8 in. diam. stands for the cor. of Lot 25 & 36. from which W Oak. 24 in. diam. beam. S 32 E. 8 links dist. Land N. 7 <sup>th</sup> mile good, Timber Buck, Ash, Oak & 1/2. " 2 <sup>nd</sup> " " Rich and hard. Timber Sugar, Ash, Walnut, Buck & 1/2.

North	On the East Boundary of Sec. 25 T. 10 N. R. 7 W.
5.00	Trapping Corn N.
17.60	Tr. Oak. 16 in. diam. stands in the line.
30.00	Tr. Brook. 5 links wide, Corn N.
40.00	Set a <sup>m</sup> post from which a Gum. 18 in. diam. beam S 66 E 43 links dist: 4 " W Oak. 24 " " " S 11 E 34 " "
76.00	Tr. Brook. 5 links wide, Corn N.
80.00	Set a post for the cor. of Lot 24 & 25 from which Buck. 8 in. diam. beam. S 43 W. 19 links dist: 4 Maple. 24 " " " S 45 E 31 " " Land under timber same as last entry.

North	On the East Boundary of Sec. 24 T. 10 N. R. 7 W.
5.00	Tr. Brook. 15 links wide, Corn N.
24.40	Tr. Buck. 16 in. diam. in the line.
40.00	Set a <sup>m</sup> post from which a Sugar. 12 in. diam. beam. S 64 W. 20 links dist: 4



T. N. 10 N. R. No. 7 W. 2<sup>nd</sup> Mer. Ind.

61.25 To an Elev. 24 in. dia. in the line.  
 80.00 Set a temp. 7 foot for the cor. of T. 11. & N. 10. 6 & 7 W.  
 Sandflat. Timber Oak, Hickory, Elm, &c

## North Boundary.

West Quakranum line North South Boundary of sec. 36.  
 40.00 Set a temp. 7 foot post. T. 11. N. 10. 7 W.  
 80.00 Set a temp. 7 foot for the cor. of sec. 35 & 36.  
 Sandflat and wet. Timber Elm, Maple, Oak &c &c

West Quakranum line North South Boundary of sec. 35.  
 T. 11. N. 10. 7 W

12.00 Look Brook. 20 links mid, corner S.

25.00 " " 10 " " " S.

40.00 Set a temp. 7 foot post

55.00 Look Brook 20 links mid, corner S.

80.00 Set a temp. 7 foot for the cor. of sec. 34 & 35.  
 Sand & timber same as last sec.

West Quakranum line North South Boundary of sec. 34.  
 T. 11. N. 10. 7 W

3.00 Look Brook. 15 links mid corner S.

40.00 Set a temp. 7 foot post

80.00 " " " post for the cor. of sec. 33 & 34  
 Good Oak lands Plains.

West Quakranum line North South Boundary of sec. 33.

40.00 Set a temp. 7 foot post T. 11. N. 10. 7 W

43.00 Look Brook. 20 links mid, corner S.

80.00 Set a temp. 7 foot for the cor. of sec. 32 & 33.  
 Good Oak. land.

West Quakranum line North South Boundary of sec. 32.

T. N. 10 N. R. N. 7 W. 2nd Mer. Land 169

T. 10 N. R. 7 W.

40.00 Set the timber 7/4 in. post East side of plains  
80.00 Set the timber post in the plains cor of lat. 31.532

West On the Random line On the South Boundary of lat. 31.  
T. 11 N. R. 7 W.

40.00 Set the timber 7/4 in. post in plains.  
49.50 Set 80 links South of Harris cor. for T. 10 N. R. 7 W.

Corrected and marked the line East

East On the true line On the South Boundary of lat. 31. T. 11 N. R. 7 W.  
39.50 Set the timber 7/4 in. post on the true line from which  
Heik 16 in. diam. trees. N 89 E. 109 links dist;  
Northern timber near.

49.50 Set the timber post on the true line for the cor. of lat. 31.532  
from which Heik 15 in. diam. trees. West. 663 links dist;

East On the true line On the South Boundary of lat. 32.  
T. 11 N. R. 7 W.

40.00 Set the timber 7/4 in. post on the true line in the plains  
80.00 " " " post on the true line for the cor of lat. 32.533.  
N Oak. 36 in. diam. trees. N 15 E. 43 links dist; 42  
Lat. 30 " " " S 74 W. 80 " "

East On the true line On the South Boundary of lat. 33.  
T. 11 N. R. 7 W.

40.00 Set the timber post on the true line for cor of 74 to form which  
N. Maple. 30 in. diam. trees. S 2 E. 13 links dist; 42  
Elev. 15 " " " N 61 W 30 " "  
80.00 Set the timber post on the true line for the cor. of lat. 33.534  
from which N Oak. 18 in. diam. trees N 39 E. 42 links dist  
and a Heik 5 " " " S 45 E 32 " "

East On the true line On the South Boundary of lat. 34  
T. 11 N. R. 7 W.



T. No. 10 N.R. No. 77. 2nd (Mm. Land.)

40.00	Set the temporary post on the true line for the corner of lot 74 from which a Hickory 12 in. diam. bears S 57° 22' W. 22 links and No other timber
80.00	Set a post for the cor. of lot 34 & 35. on the true line from which a Elm 16 in. diam. bears S 41° 38' E. 24 links and an Ash 8 " " " N 73° E. 24 " "
Cash	Cut the true line Cut the South Boundary of lot 35. T. 11. N.R. 77.
40.00	Set a 7/8" sap post on the true line from which a Maple 16 in. diam. bears S 44° E. 16 links and; a Do. 14 " " " N 31° W. 25 " "
80.00	Set a post for the cor. of lot 35 & 36. on the true line from which a Hickory 16 in. diam. bears South. 2 links and; an ash 12 " " " N 2° W. 42 " "
Cash	Cut the true line Cut the South Boundary of lot 36. T. 11. N.R. 77.
40.00	Set the temporary 7/8" sap post on the true line from which a Maple 16 in. diam. bears N 69° E. 9 links and; a Do. 16 " " " N 86° W. 15 " "
80.00	Set the post on of T. 10 & 11 N.R. 6 & 77. from which a Buck 36 in. diam. bears S 42° W. 11 links and; an ash 12 " " " N 52° E. 37 " "
	Surveyed by Alexander Holmstedt. Ld.
	West Boundary
North	Cut the East Boundary of lot 36. T. 10 N.R. 877.
40.00	Set a 7/8" sap post from which a W. Oak. 27 in. diam. bears N 64° W. 22 links and; a Do. 15 " " " N 27° W. 40 " "
80.00	Set a post for the cor. of lot 25 & 36 from which a Hickory 12 in. diam. bears South 22 links and; a Do. 10 " " " N 76° W. 36 " "



T. N. 10 N. R. 8 W. 2<sup>nd</sup> Mer. Ind.

Land look Timber Oak & Hickory.  
- Muddling good Wheat land.

North	On the East Boundary of Sec. 25 T. 10 N. R. 8 W.
5.00	Enter a Prairie; no bearing Trus.
40.00	Set a 1/4 section post in prairie no bearing Trus.
80.00	Set a post for the cor of Sec. 24 & 25. Land had not 3 <sup>rd</sup> rate prairie
North	On the East Boundary of Sec. 24 T. 10 N. R. 8 W.
40.00	Set a 1/4 section post in prairie; No bearing Trus.
80.00	Set a post for the cor of Sec. 23 & 24 in prairie not bearing Trus. Land not prairie 3 <sup>rd</sup> rate.
North	On the East Boundary of Sec. 13 T. 10 N. R. 8 W.
40.00	Set a 1/4 section post in prairie; No bearing Trus.
80.00	Set a post for the cor of Sec. 12 & 13 in prairie not bearing Land same.
North	On the East Boundary of Sec. 12 T. 10 N. R. 8 W.
40.00	Set a 1/4 section post in prairie; no bearing
40.00	To a Rock 25 links and, comes NW.
57.58	To a Hickory 30 in diam in the line, cross the prairie
75.00	Enter the same prairie
80.00	Set a post for the cor of Sec. 1 & 12 from which on To Oak 20 in diam. bears N 15° E 77. 765. links and 1/2 Elev. 20 " " " " 814 74.590 " " The last post stands in the prairie. Land the same.
North	On the East Boundary of Sec. 1 T. 10 N. R. 8 W.
29.50	To a Oak 14 in diam. stands in the line.
40.00	Set a 1/4 section post in prairie; No bearing Trus.
84.00	Set a temporary post for the cor of T. 10 N. R. 7 & 8 W. Land had and not; 3 <sup>rd</sup> rate.

T. N. 10 N.R. N. 7 W. 2<sup>nd</sup> Mer. Sec.

81.23	Set or Established a post for the cor of Town 10 N. 7 W. 2 <sup>nd</sup> Mer. Sec. N.R. 7 & 8. 4 <sup>th</sup> from which Bench 11. in dir: beam. N 37 N. 11 links and; Va W Oak. 30 " " " S 59 E. 126 " " Surveyed by William Harris & Co
Subdivisions	
North	Return Sec. 35 & 36. T. 10 N.R. 7 W. v. 7 <sup>th</sup>
40.00	Set a 1/4 section post from which Bench 12 in dir: beam. S 97 N. 50 links and; Va D. 8 " " " N 51 E. 17 " "
80.00	Set a post for the cor of Sec. 25, 26, 35 & 36 from which Bench 8 in dir: beam. S 19 N 36 links and; Va D. 10 " " " N 36 E. 22 " " Land sub. under 2 <sup>nd</sup> rate of 10; Section Bench 7 Oak & Oak
East	On Random line between Sec. 25 & 36. T. 10 N.R. 7 W.
40.00	Set a temporary 1/4 section post v. 6 <sup>th</sup>
78.50	To a small Brook. Corner. N.C.
80.97	Enter at the East Boundary 164 links North of the post cor of Sec. 25 & 36.
West	On the line between Sec. 25 & 36. T. 10 N.R. 7 W.
40.48	Set the temporary 1/4 section post on the line at the and dish from which a Bench 8 in dir: beam. S 1/4 N. 10 links and; and a Sugar. 12 " " " N 44 E. 48 " "
80.97	To the post cor of Sec. 25, 26, 35 & 36. Land the same as last one.
North	Return Sec. 25 & 26. T. 10 N.R. 7 W. v. 6 <sup>th</sup> 20
37.00	To a stump
40.00	Set a 1/4 section post from which W Oak. 10 in dir: beam. S 68 N. 17 links and; Va D. 6 " " " N 25 E. 25 " "

T. N. 10 N.R. N. of W 2<sup>nd</sup> (New Land)

80.00 Set a post for the cor of lat. 23, 24 25 & 26 from which  
W. Oak 6 in. diam. bears N 7 E. 39 links due; and a  
W. Oak 30 " " N 47 E 22 " "  
Land flat and swampy; Buck & W Oak 15.

East Oak Random line between Lat. 24 & 25. T. 10 N.R. 7 W.

40.00 Set a timber 7/4 a post V. 5°

47.00 Top Brook. 10 links wide, corner N.E.

80.80 Intersect the East Boundary 75 links South of the post  
cor of lat. 24 & 25.

Land 2<sup>nd</sup> rate; Timber W Oak & Buck 15.

West Oak line between Lat. 24 & 25. T. 10 N.R. 7 W.

40.40 Set the timber 7/4 a post at the ar. due with the line  
from which W. Oak 10 in. diam. bears N 53 W. 39 the due  
and a Sugar 12 " " N 79 E 17 1/4 "

80.80 To the post cor of lat. 23, 24, 25 & 26.

North Oak Random line between Lat. 23 & 24. T. 10 N.R. 7 W. Nov. 22. 1815.

40.00 Set a 7/4 a post from which  
W. Oak 18 in. diam. bears S 29 E. 23 links due; & a  
Buck. 24 " " N 18 E 14 " "

(4) 3.00 Top Brook. 30 links wide, corner S.W.

80.00 Set a post for the cor of lat. 13, 14, 23 & 24 from which  
Buck. 10 in. diam. bears S 30 W. 5 links due; & a

Sp. 18 " " N 30 E 14 " "

Land 2<sup>nd</sup> rate;

East Oak Random line between Lat. 13 & 24. T. 10 N.R. 7 W.

20.00 To a Pond. V. 5° 30'

24.00 Top Brook. 80 links wide, corner S.W.

40.00 Set a timber 7/4 a post

80.27 Intersect the East Boundary 21 links South of the post  
cor of lat. 13 & 24.

Land same as last mile.

T. N. 10 & 11. N. 7 W. 2<sup>nd</sup> Mer. Sec. 1

West 40.13	On the true line between Sec 13 & 14 T. 10 N. R. 7 W. Set the temp. 1/4 saposh at the andich on the true line from whicha Maple 6 in. diam. beam. 49 E. 21. 1/2 in. dia's andica 20 4 " " 44 N. 28 " "
81.27	To the post cor of lat. 13. 14. 23 & 24
North 22.01 40.00	Between Sec 13 & 14 T. 10 N. R. 7 W. N. 23. 1815. To the ramp Set a 1/4 saposh from whicha Elm. 8 in. diam. beam. N 22 E. 6 links dist; 1/2 Wash 10 " " S 50 W. 12 " "
86.00	Set a post for the cor of lat. 11. 12. 13 & 14 from whicha B. Oak 10 in. diam. beam. 44 E. 5 links dist; 1/2 Log. 4 " " " N 41 E 9 " " Sandy flat and swampy.
East 40.00 79.30	On a Random line between Sec 12 & 13 T. 10 N. R. 7 W. Set a temp. 1/4 saposh Set the N 73 line on East Boundary 11 links South of lat. cor of lat. 12 & 13. Sunde 2 <sup>nd</sup> note.
West 37.65	On a true line between N 24 13. T. 10 N. R. 7 W. Set the temp. 1/4 saposh at the andich on the true line. from whicha, Hick 24 in. diam. beam. 42 E. 16 links dist; andica 20 " " " 89 W. 16 " "
49.30	To the post cor of lat. 11. 12. 13 & 14.
North 40.00	Between Sec 11 & 12 T. 10 N. R. 7 W. N. 63 0' Set a 1/4 saposh from whicha Buck 18 in. diam. beam. 46 2 W. 12 links dist; 1/2 Log. 18 " " " N 12 E 20 " "
64.31	To the River 250 links near, course N.
80.00	Set a post for the cor of lat. 1. 2. 11 & 12 from whicha Wash 10 in. diam. beam. 32 W. 2 links dist



T. No. 10. N.R. N. 7 W. 2<sup>nd</sup> Mer. Ind?

under N Oak. 8 in. diam. trees. N 56 W 15 links out;  
Sunde 2<sup>nd</sup> row.

East	Challandem line between Sals 1 & 2. T. 10. N.R. 7 W.
2.00	To ad ramp. N. 26. 18 15. V. 5° 30.
40.00	Set a trap 1/4 in. post
76.36	To the River.
79.96	Enter out the East Boundary at the first cor of Sals 1 & 2. Sunde 2 <sup>nd</sup> row.
West	Challandem line between Sals 1 & 2. T. 10. N.R. 7 W.
39.98	Set the trap 1/4 in. post at the cor. dish on the line from whichever E. line. 4 in. diam. trees. S 2 E 8 links out; & " Oak. 36 " " " N 10 W. 11 " "
79.96	To the first cor of Sals 1, 2, 11 & 12.
North	Between Sals 1 & 2. T. 10. N.R. 7 W. V. 5° 30'
2.00	To ad ramp.
40.00	Set a 1/4 in. post from whichever N Oak. 12 in. diam. trees. S 3 E 23 links out; & " Oak. 12 " " " S 40 W 40 " "
75.00	To ad ramp.
81.40	Enter out the N.B. boundary 90 links East of the first cor of Sals 35 & 36. T. 11. N.R. 7 W. and set a post for the cor " 1 & 2 from whichever Nine back 12 in. diam. trees. N 17 W 23 links out; & " Oak. 8 " " " N 18 E 64 " "
	Sunde of the Last quality.
North	Between Sals 34 & 35. T. 10. N.R. 7 W. V. 7°.
40.00	Set a 1/4 in. post from whichever Maple. 24 in. diam. trees. N 42 E 4 links out; & " Do. 18 " " " S 47 W 12 " "
80.00	Set a post for the cor of Sals 26, 27, 34 & 35 from whichever on E. line 18 in. diam. trees. S 81 E 24 links out; & " Maple 9 " " " S 11 W 22 " "



T. N<sup>o</sup> 10 N.R. N<sup>o</sup> 777. Quad (Mrs. Sud<sup>a</sup>.)

Quadr 2<sup>nd</sup> rate. Limits Mapk Holm & S

East 40.00 80.03	On a random line between Jul. 26 & 35. T. 10 N.R. 777. 5 <sup>th</sup> 30. Set a trap 1/4 in support. Intersect the N & S line 18 miles south of the post cor of lat. 25, 26, 35 & 36. Sands same as last mile.
West 40.01 80.03	On the line between Jul. 26 & 35. T. 10 N.R. 777. Set the trap 1/4 in support at the ar. ditch on the line from which Mapk. 12 in air. beam. N 15 W 8 miles ditch made a 20.15 " " " 49 N. 14 " " To the post cor of lat. 26, 27, 34 & 35.
North 40.00 80.04	On a random line between Jul. 26 & 27. T. 10 N.R. 777. 5 <sup>th</sup> 20. Set a trap 1/4 in support. Intersect the E & W line 7 miles East of the post cor of lat. 22, 23, 26 & 27. Sands same as last mile.
South 40.00 80.04	On a line between Jul. 26 & 27. T. 10 N.R. 777. Set the trap 1/4 in support at the ar. ditch on the line from which 12. Oak. 6 in air. beam. 24 N. 5 miles ditch made a 18 " " " 29 N. 37 " " To the post cor of lat. 26, 27, 34 & 35.
West 31.00 40.00 80.00	Between Jul. 23 & 26. T. 10 N.R. 777. To place 50 miles wide, corner S. W. Set a trap 1/4 in support from which Buck. 12 in air. beam. N 20 W. 21 miles ditch; 72 Hump 8 " " " 25 to 23 " " Set a post for the cor. of lat. 22, 23, 26 & 27 from which Oak. 6 in air. beam. N 17 E 5 miles ditch; 72 20. 12 " " " 46 E. 14 " " Sands 2 <sup>nd</sup> rate; Limits Buck & Oak.



C. N. 10. N.R. N. 7 W. 2nd Mer. Ind.

80.00	Set a post for the cor of lat. 10. 11. 14 & 15. From which cor. Elm. 18 in. diam. bears. N 49 E. 15 links north; & " Do 20 " " " S 37 W. 44 " " Sands of the last quality.
North 40.00	Return lat. 10. & 11. T. 10 N.R. 7 W. v. 6° 30' Set a 1/4 la post. from which Cherry 12 in. diam. bears. S 13 E. 24 links north; & Elm. 18 " " " S 7 W. 11 " "
48.50	To the Mer. 250 links north, Penna. 71.
80.00	At Elm. 4 in. diam. Sands for the cor of lat. 2, 3, 10 & 11. Sands 2nd rate; Timber White Elm & S.
West 40.00	On a random line between lat. 2 & 11. T. 10 N.R. 7 W. v. 5° 30' Set a temp. 1/4 la post.
80.60	Inter lat the N 13 W. 11 links North of the post cor of lat. 2, 3, 10 & 11. Sands 2nd rate;
East 40.30	On a true line between lat. 2 & 11. T. 10 N.R. 7 W. Set the temp. 1/4 la post on the true line at an oak from which Maple. 8 in. diam. bears. N 89 W. 28 links north; & " Walnut. 6 " " " N 81 E. 24 " "
80.60	To the post cor of lat. 1, 2, 11 & 12,
North 40.00	Return lat. 2 & 3. T. 11 N.R. 7 W. v. 6° 30' Nov. 27. 1815 Set a 1/4 la post from which 13 Oak. 36 in. diam. bears. N 55 E. 21 links north; & as Do. 40 " " " S 16 W. 57 " "
81.81	Inter cut the N Boundary 58 links East of the post cor of lat. 34 & 35. T. 11 N.R. 7 W. and set a post for the cor. of lat. 2 & 3. From which White 12 in. diam. bears. S 12 W. 21 links north; & Do. 12 " " " S 69 E. 9 " "

# T. N. 10 N.R. 7 W. 2nd Mer. Ind.

South  
2.00 On a Random line between Sec. 33 & 34 T. 10 N.R. 7 W. v. 7.  
40.00 To a Pond.  
63.50 Set a trap 7 ft. apart.  
79.92 To a Pond in the River.  
Enter cut the South Boundary 22 links East of the post, or,  
of Sec. 33 & 34.  
Lands over flood in time of High Water.

North  
39.96 On a Random line between Sec. 33 & 34, T. 10 N.R. 7 W. No. 21.  
Set the trap post at the ar. dish on the line from  
whites, Sugar, 8 in. diam. beam, 25 & 9 links each; &  
Bar. Oak 36 " " " 137 & 27 "  
79.92 To the post on of Sec. 27, 28 33 & 34.

West  
Return Sec. 27 & 34 T. 10 N.R. 7 W. v. 5° 30'.  
5 ch. as camp.  
40.00 Set a 7 ft. apart. from whites  
7 ft. Oak 8 in. diam. beam 147 ft. 12 links each; & a  
20. 8 " " " 86 & 15 " "  
59.00 To camp.  
80.00 Set a post for the cor. of Sec. 27, 28, 33 & 34 from whites  
7 ft. Oak 12 in. diam. beam, 141 ft. 8 links each; and a  
20. 12 " " " 80 & 28 " "  
Lands flat and swampy Timber 7 ft. Oak, 13 Oak.

North  
Return Sec. 27 & 28 T. 10 N.R. 7 W. v. 6° 20'  
40.00 Set a 7 ft. apart. from whites  
7 ft. Oak 6 in. diam. beam, 186 ft. 10 links each; & a  
New 24 " " " 24 & 33 " "  
80.00 Set a post for the cor. of Sec. 21, 22, 27 & 28 from whites  
7 ft. Oak 6 in. diam. beam, 144 ft. 10 links each; and a  
20. 8 " " " 33 & 15 " "  
Lands 2nd rate; Timber 7 ft. Oak &.

East On a Random line between Sec. 22 & 27 T. 10 N.R. 7 W. v. 5° 30'



## T. N. 10 S. R. N. of N. 2nd Mer. Ind.

40.00 79.66.	Set a trip 1 1/4 to post. Enter cut the N & S line 22 links North of the post cor of 22, 23, 26 & 27. Land 2nd rate.
West 39.83 79.66.	On the true line between Sec. 22 & 27. T. 10 S. R. 7 N. Set the trip 1 1/4 to post at an arch in the true line from which, T. Arch. 4 in. dia. beam. N. 29 E. 4 links arch; L. 8 " " " N. 81 W. 16 " " To the post cor of sec. 21, 22, 27 & 28.
South 40.00 79.92	Quadrant line between Sec. 21 & 22. T. 10 S. R. 7 N. Set a trip 1 1/4 to post. Enter cut the E & W. line 230 links West of the post cor. of Sec. 21, 22, 27 & 28. Land 2nd rate.
North 39.96 79.92	Quadrant line between Sec. 21 & 22. T. 10 S. R. 7 N. Set the trip 1 1/4 to post at the arch in the true line for the cor of 1/4 to post from which, T. Arch. 12 in. dia. beam. N. 15 E. 5 links arch; L. L. 18 " " " N. 9 E. 28 " " To the post cor of sec. 15, 16, 21 & 22.
East 40.00 81.59	Quadrant line between Sec. 15 & 22. T. 10 S. R. 7 N. N. 5 E. 30. Set a trip 1 1/4 to post. Enter cut the N & S line 30 links North of the post cor of sec. 14, 15, 22 & 23. Land 2nd rate.
West 40.79 81.59	On the true line between Sec. 15 & 22. T. 10 S. R. 7 N. Set the trip 1 1/4 to post at the arch in the true line from which, T. Arch. 6 in. dia. beam. N. 72 E. 6 links arch; L. 4 " " " N. 7 W. 6 " " To the post cor of sec. 15, 16, 21 & 22.





T. No. 10. N.R. No. 7 N. 2<sup>nd</sup> (Mn. Ind.)

47.00 To a creek 80 links min, corner S.W. V. 5° 30'.  
 50.00 To a swamp  
 80-90. Intersect the NW line 21 links South of the post cor of  
 Lat. 3.4.9. 410  
 Ground of the best quality.

East. Quarter line between Lat. 3 & 10. T. 10. N.R. 7 N.  
 40.45 Set the trumpet 1/4 section at the av. mch on the line  
 from which a Elm. 8 in. diam. bears N 50 E. 9 links mch  
 and a Do. 18 " " " N 64 W. 12 " "  
 80-90 To the post cor of Lat. 2, 3, 10 & 11.

North Quarter Lat. 3 & 4. T. 10. N.R. 7 N. T. 10. N.R. 7 N.  
 40.00 Set a 1/4 section from which  
 an Oak 12 in. diam. bears South 43 links mch; Pa  
 Do. 15 " " " N 55 E. 40 " "  
 82.40. Intersect the NW boundary 120 links West of the post.  
 cor of Lat. 33 & 34 T. 11. N.R. 7 N. and set a post for the  
 " " " 3 & 4, from which  
 Hick 15 in. diam. bears S 44 E. 5 links mch; Pa  
 Do. 12 " " " N 25 E. 49 " "  
 Oak & Hick; Ground best rate.

North Quarter Lat. 32 & 33. T. 10. N.R. 7 N. N. 19. 1815. V. 7° 00'.  
 40.00 Set a 1/4 section from which  
 Elm. 18 in. diam. bears N 34 E. 5 links mch; Pa  
 Oak 12 " " " N 43 W. 40 " "  
 80.00 Set a post for the cor of Lat. 28. 29. 32. & 33. from which  
 a Hick 12 in. diam. bears N 70 E. 25 links mch; Pa  
 " " Oak 36 " " " S 27 W. 50 " "  
 Ground best and good soil for wheat; Timber Oak & Hick

West Quarter line between Lat. 28 & 33. T. 10. N.R. 7 N. V. 5° 30'.  
 12.00 To a swamp.  
 40.00 Set a trumpet 1/4 section.

## T. N. 10. N. 10. N. 7. W. 2nd Mer. Ind.

46.50 79.58	To the River, (Ed.) 373 miles into, former E. E. Enter cut the NW line 57 miles South of the cor of lat. 28.29.32 & 33.
East. 39.79 79.58.	On a true line between lat 28 & 33. T. 10. N. 10. 7 W. Set the trip 7 1/2 up at the ar. with in the true line. from which, 7 Buckeye v. 8 in. clear. bears, S 37 N. 4 miles with under a. 10. 10. " " N 27 N. 24. " To the post cor. of lat. 27.28.33 & 34.
North 40.00 43.00 80.00	Return lat. 28. & 29. T. 10. N. 10. 7 W. N. 20. 4. Set a 7 1/2 up at the post from which, Heats 10 in. clear. bears. S 38 N. 16 miles with; 7 a, B 7 N. 30. " " N 12 E. 43. " To the bend of the creek. Set a post for the cor of lat. 20. 21. 28 & 29 from which, Elev. 18 in. clear. bears. S 29 E. 20 miles with; 8 a, Heats 18. " " N 35 W. 34. " Quads bottom and very rich; Timber Walnut Hickory & Oak Crossed the River; then runs in the creek.
West. 40.00 78.00 80.78	On a true line between lat. 21. & 28. T. 10. N. 10. 7 W. Set a trip 7 1/2 up at the post. N. 5 & 20'. To the River. Enter cut the NW line 15 miles North of the post cor of 20. 21. 28 & 29.
East 40.39	On a true line between lat. 21. & 28. T. 10. N. 10. 7 W. Set the trip 7 1/2 up at the ar. with in the true line from which, Heats 10 in. clear. bears. S 62 E. 10 miles with; under, Hackberry 5. " " N 84 W. — " "
North 18.00 40.00	Return lat. 20 & 21. T. 10. N. 10. 7 W. To the River. Corner SW Set a 7 1/2 up at the post from which,



T. No. 10. N.R. N. of W. 2nd Mer. East.

80.00	Box Elm 15 in. diam. trees. S63 N. 15 links north; 19 Heavy Locust 27 " " " N58 E 15 " " Set apart for the cor off lat. 16. 17. 20 & 21. from which Elm. 18 in. diam. trees. S21 E. 23 links north; 4 Box Elm. 12 " " " S60 N 45 " " Grade Rich bottom. Timber Walnut Ash, Sugar, Hickory. &c.
40.00	Cut a line between lat. 16 & 21. T. 10. N.R. 7 N. v530. Set a 1/4 report 1/4 report.
79.50	Set a lat. N. N. 3 line 20 links south of the first cor off lat. 16. 17. 20 & 21. Grade 2nd rate.
39.76	On a line between lat. 16 & 21. T. 10. N.R. 7 N. Amanse Buck. 6 in diam. stands at cor. dist. for the cor off 1/4 line.
79.50	To the first cor off lat. 15 16, 21 & 22.
40.00	Return lat. 16 & 17 T. 10. N.R. 7 N. Set a 1/4 report from which Mulberry 14 in. diam. trees. N60 E. 12 links north; 19 Hickory 10 " " " S31 N 28 " " To glenok. 200 links north, corner S.W.
80.00	Set apart for the cor off lat. 8. 9. 16 & 17. from which Ash. 9 in diam. trees. S9 E. - links north; 19 Walsh. 14 " " " N40 N 25 " " Grade Bottom which overflows
40.00	Return lat. 9 & 10 T. 10. N.R. 7 N. Set a 1/4 report from which Oak. 12 in diam. trees. N36 E. 19 links north; 19 H. Locust 14 " " " S58 N. 1 " " To glenok. 200 links north, corner S.W.
80.00	Set apart for the cor off lat. 9. 10. 15 & 16. from which

T. Sp. 10. N.R. Sp. 477. Quad. (Mr. Lull.)

W. Walnut 12 in. diam. beam. N 78 W 33 links each; 8  
 Hickory 12 " " " N 76 E 21 " "  
 Sand bottom which was found.

West Return Lat 4. + 9. T. 10. N.R. 777. V. 5°  
 37.00 Top Barok. 8 links each, flange S.  
 40.00 Set a 74 support from which  
 W. Oak. 18 in. diam. beam. N 18 W. 87 links each; 8  
 80.00 Op. 12 " " " N 67 W 88 " "  
 Set a post for the cor of lat 4. 5. 8 + 9 from which  
 W. Oak. 24 in. diam. beam. N 68 E. 80 links each; 8  
 Hickory 12 " " " N 86 W 81 " "  
 Sand hole and mud lying good for what.

North Return Lat. 4 + 5 T. 10. N.R. 777. V. 6° 20'  
 40.00 Set a 74 support from which  
 Hickory 7 in. diam. beam. N 36 E. 27 links each; 8  
 W. Oak. 14 " " " N 36 W. 40 " "  
 81.97 Set a lat the N. B. boundary 83 links off lat of the post  
 cor of lat 32 + 33 T. 11. N.R. 777. and set a post cor of lat  
 4 + 5 from which  
 W. Oak. 24 in. diam. beam. N 20 E. 34 links each; 8  
 W. Oak. 24 " " " 465 E. 35 " "  
 Sand hole, Limba Oak & Hickory vs.

North Return Lat. 31 + 32 T. 10. N.R. 777. V. 7°  
 40.00 Set a 74 support from which



## T. N. 10. N.R. N. of W. 2nd Mer. Ind.

80.00	<p>I. Oak. 18 in. diam. trees. 357 N. 166 limbs each; &amp; 73 Oak. — " " " 445 N. 247, "</p> <p>Set a post for corner of sec. 29. 30. 31 &amp; 32. from which</p>
#	<p>Land South 1/2 good for wheat; North 1/2 3rd rate Roto prairie</p>
West	<p>On a true line between Sec. 29 &amp; 30 T. 10. N.R. 7 N.</p>
40.00	<p>Set a 1/4 section post from which (at av. dist. on the true line)</p>
80.00	<p>I. Oak 9 in. diam. trees. 363 E. 259 limbs each; Set the post corner of sec. 29. 30. 31 &amp; 32.</p>
East	<p>On a Random line between Sec. 29 &amp; 32. T. 10. N.R. 7 N.</p>
40.00	<p>Set a temporary 1/4 section post.</p>
80.00	<p>Enter at the East Boundary &amp; N &amp; S line 195 limbs South of the post corner of sec. 28. 29. 32 &amp; 33. Land 3rd rate prairie</p>
South	<p>On a Random line between Sec. 29 &amp; 30. T. 10. N.R. 7 N.</p>
40.00	<p>Set a temporary 1/4 section post.</p>
80.66	<p>Enter at the E &amp; W. line at the post corner of sec. 29. 30. 31 &amp; 32.</p>
North	<p>Between Sec. 29 &amp; 30 T. 10. N.R. 7 N.</p>
40.33	<p>Set the temporary 1/4 section post at the av. dist. on the true line from which. Huts 7 in. diam. trees. 187 E. 87 limbs each; and 73 Oak. 10 in. " " 445 E. 107, "</p>
80.66	<p>Set the post corner of sec. 19. 20. 29 &amp; 30.</p>
West	<p>Between Sec. 30 &amp; 31. T. 10. N.R. 7 N.</p>
40.00	<p>Set a 1/4 section post from which</p>
78.00	<p>Huts 12 in. diam. trees. 347 N. 466 limbs each; &amp; Enter at the N &amp; S boundary 47 limbs South of the post corner of sec. 25 &amp; 36 T. 10. N.R. 8 N. and a corner for the corner</p>

T. N. 10. N. R. N. 7 N. 2<sup>nd</sup> (Mm. Ind.)

	<p>off cul. 30 &amp; 31 from whikey  Heck 10 in acid. trans. N 44 W 23 links each; &amp; a  Black 30 " " " N 48 E 29 " "  East 50 ch. prairie; West 30 ch. Oak &amp; Hickory lumber  of middling quality</p>
<p>West  40.00</p>	<p>Return cul. 28 &amp; 29 T. 9<sup>th</sup> N. R. N. 7 N.  Set apart for the crop from whikey  N. Oak. 10 in. acid. trans. N 28 E 81 links each; &amp; a  Miller 5 " " " N 33 E 50 " "  80.00 Set apart for the crop of cul. 19. 20. 29. &amp; 30 from whikey  B. Jack. 8 in. acid. trans. N 23 W 27 links each; &amp; a  Heck 12 " " " N 28 W 33 " "  East 7<sup>th</sup> bottom land; West 10<sup>th</sup> land; Sandy  Oak &amp; Hickory lumber</p>
<p>West  20.00</p>	<p>Return cul. 19 &amp; 20 T. 10. N. R. 7 N.  Set apart for the crop from whikey  N. Oak. 30 in. acid. trans. N 69 E 51 links each; &amp; a  Heck 18 " " " N 23 W 57 " "  50.00 East prairie  78.00 Contained the West Boundary, No bearing Old corner  not to be found</p>
<p>North  20.00</p>	<p>Return cul. 19 &amp; 20 T. 10. N. R. 7 N.  Set apart for the crop from whikey  N. Oak. 27 in. acid. trans. N 36 E 31 links each; &amp; a  Do. 24 " " " N 70 W 18 " "  80.00 Set apart for the crop of cul. 17. 18. 19. &amp; 20 from whikey  N. Oak. 24 in. acid. trans. N 36 E 241 links each; &amp; a  Do. 12 " " " South 26.7 " "  Sandy land; Timber Oak &amp; Hickory; middling for wheat</p>
<p>Cash  40.00</p>	<p>Ch. &amp; Ran. am. line between cul. 17 &amp; 20 T. 10. N. R. 7 N.  Set apart for the crop.</p>

## J. N. 10. A.R. N. 7. W. 2nd. Am. Ind.

55.01 To Ed. Davis Come G.  
 80.00 Later cut the MS line 16 miles North of the post on of  
 class 16.17.20 & 21.  
 Part of this mile Oak lands cut part bottom.

West  
 40.00 On the line between Jul. 17 & 20. J. 10. A.R. 7 N.  
 Cut the temporary fence at the ar. creek on the line  
 line from which 77 Oak. 20 in dist. from N 80 N. 20 the creek  
 and a 13 Oak. 24 " " 91 N. 24 " "  
 80.00 To the post on of Jul. 17. 18. 19 & 20.

The line between Jul. 18 & 19; & 17 & 18 appears to be wanting

West  
 40.00 Return Jul. 8 & 17 J. 10. A.R. 7 N.  
 Cut a fence from which  
 Maple. Fair dist. from N 45 E. 8 miles creek; 7 N.  
 12 " " " 91 N. 30 " "  
 80.00 Cut a post for the cor of Jul. 7. 8. 17. & 18 from which  
 40.00 12 in dist. from N 23 E. 5 miles creek; 7 N.  
 12 " " " 91 N. 89 " "  
 Land covered with Yellow and Swamp brush.

West  
 5.00 Return Jul. 5 & 8. J. 10. A.R. 7 N.  
 On the prairie  
 40.00 Cut a fence (from which) in a prairie  
 No bearing trees.  
 80.00 Cut a post for the cor of Jul. 5. 6. 7 & 8. in prairie  
 Land 300 into prairie.

West  
 40.00 Return Jul. 6 & 7. J. 10. A.R. 7 N.  
 Cut a fence in prairie No bearing trees  
 Line not finished on account of water.

North  
 40.00 Return Jul. 5 & 6. J. 10. A.R. 7 N.  
 Cut a fence in prairie

T. N. 10. N. R. N. 7 N. 2nd. (N. R. 2nd.)

81.45

Inter. lat. (N. R. 2nd.) 50 miles West of the post camp  
 Jul 31 & 32. T. N. 10. N. R. 7 N. made lat. of post for the cor. of  
 Jul 5 & 6. from which,

Height 10 in. clear. trees West. 6.11 miles west;  
 Lande similar some small groups of bushes.

Surveyed by  
 William Hearn, Esq.

North  
 4002

On the river line between 22 & 23. T. N. 10. N. R. 10 N.  
 Set the trip. 1/2 in. of post from which,

Beach 8 in. clear. trees. 6.14 E. 12th west, 7.5

La. 10 " " " N. 10. N. R. 29.

80.05.

Set the post camp of post 14.10 22 & 23.

I certify that the foregoing Transcript of the field notes of  
 Amoship N. 10 N. R. 7 N. 2nd. N. R. 2nd. has been  
 compared with the Original notes in the office  
 and found to be correct.  
 Survey Gen's Office  
 Civil. Jan 27. 1841.

E. S. Haines  
 Sur. Gen.